





ETA 4 1450 r.p.m



نیم پمپ	قدرت		جریان	قطر پروانه	قطر فلایج پمپ (mm)		آبدهی (m³/h)	6	8	10	11	12	14	15	16	17	18	20	22	25	30
	KW	HP			رانش	مکش															
ETA4 40-125 G	0.25	0.3	0.78	110	40	65	H (m)	3.5	3.3	3	2.8	2.6	2.1	1.8	1.5	1.2	*	*	*	*	*
ETA4 40-125 F	0.25	0.3	0.78	115	40	65		4	3.8	3.5	3.3	3.1	2.6	2.3	2	1.6	*	*	*	*	*
ETA4 40-125 E	0.25	0.3	0.78	120	40	65		4.4	4.2	3.9	3.7	3.5	3	2.7	2.4	2	1.6	*	*	*	*
ETA4 40-125 D	0.37	0.5	1	125	40	65		4.9	4.7	4.4	4.2	4	3.6	3.3	3	2.7	2.3	*	*	*	*
ETA4 40-125 C	0.37	0.5	1	130	40	65		5.3	5.2	4.9	4.7	4.5	4.1	3.8	3.5	3.2	2.8	*	*	*	*
ETA4 40-125 B	0.37	0.5	1	135	40	65		5.6	5.7	5.4	5.3	5.1	4.7	4.5	4.2	3.9	3.5	2.7	*	*	*
ETA4 40-125 A	0.37	0.5	1	139	40	65		6.2	6.1	5.9	5.7	5.5	5.1	5.9	4.6	4.3	3.9	3.2	*	*	*



نیم پمپ	قدرت		جریان	قطر پروانه	قطر فلایج پمپ (mm)		آبدهی (m³/h)	6	7	8	9	10	11	12	13	14	15	16	17	18	20
	KW	HP			رانش	مکش															
ETA4 40-160 E	0.25	0.3	0.78	130	40	65	H (m)	5.6	5.4	5.2	4.9	4.5	4	*	*	*	*	*	*	*	*
ETA4 40-160 D	0.37	0.5	1	140	40	65		6.7	6.6	6.4	6.2	5.9	5.6	5.2	4.7	4	*	*	*	*	*
ETA4 40-160 C	0.55	0.75	1	150	40	65		7.7	7.6	7.5	7.4	7.2	6.9	6.6	6.2	5.7	5.2	*	*	*	*
ETA4 40-160 B	0.75	1	2	160	40	65		8.8	8.7	8.6	8.5	8.4	8.2	8	7.7	7.4	7	6.5	5.8	*	*
ETA4 40-160 A	0.75	1	2	169	40	65		9.9	9.8	9.7	9.6	9.5	9.4	9.2	9	8.8	8.5	8.2	7.7	7.2	5.8





نیم پمپ	قدرت		جریان	قطر پروانه	قطر فلایج پمپ (mm)		آبدهی (m³/h)	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	KW	HP			رانش	مکش															
ETA4 40-200 E	0.55	0.75	1	170	40	65	H (m)	9.3	9.1	8.8	8.4	7.9	7.2	6.2	*	*	*	*	*	*	*
ETA4 40-200 D	0.75	1	1	180	40	65		10.6	10.4	10.2	9.9	9.5	8.9	8.2	7.4	6.6	*	*	*	*	*
ETA4 40-200 C	1.1	1.5	3	190	40	65		12	11.8	11.6	11.3	11	10.6	10.1	9.4	8.7	*	*	*	*	*
ETA4 40-200 B	1.1	1.5	3	200	40	65		13.3	13.2	13	12.8	12.6	12.3	11.9	11.4	10.8	10.2	9.4	8.4	*	*
ETA4 40-200 A	1.5	2	4	209	40	65		14.6	14.5	14.4	14.2	14	13.8	13.5	13.1	12.7	12.2	11.5	10.8	9.8	8.8





ETA 4 1450 r.p.m



نیم پمپ	قدرت		حریران	قطر پروانه	قطر فلنج پمپ (mm)		اندھی	15	16	17	18	19	20	21	22	24	25	26	27	28	30
	KW	HP			راش	مکش		H (m)													
ETA4 40-250 F	1.1	1.5	3	210	40	65	H (m)	13	12.8	12.5	12.1	11.6	10.9	10.1	9.2	*	*	*	*	*	*
ETA4 40-250 E	1.5	2	4	220	40	65		14.7	14.5	14.2	13.9	13.6	13.1	12.6	12	10.5	9.5	*	*	*	*
ETA4 40-250 D	2.2	3	5	230	40	65		16.4	16.2	16	15.7	15.3	14.9	14.5	14	12.8	12.1	11.4	10.5	*	*
ETA4 40-250 C	3	4	7	240	40	65		18.9	18.7	18.4	18	17.6	17.2	16.7	16.2	15.1	14.5	13.8	13	12	*
ETA4 40-250 B	3	4	7	250	40	65		20.8	20.7	20.5	20.2	19.8	19.4	19	18.6	17.7	17.2	16.6	15.8	15	13.2
ETA4 40-250 A	4	5.5	9	259	40	65		22.8	22.7	22.5	22.2	21.9	21.6	21.3	21	20.1	19.6	19.1	18.4	17.7	16



نیم پمپ	قدرت		حریران	قطر پروانه	قطر فلنج پمپ (mm)		اندھی	6	7	8	9	10	11	11	12	13	14	15	15	16	17
	KW	HP			راش	مکش		H (m)													
ETA4 40-315 F	2.2	3	5	270	40	65	H (m)	24.2	23.9	23.7	23.3	22.6	22.1	21.3	19.1	*	*	*	*	*	*
ETA4 40-315 E	2.2	3	5	280	40	65		26.7	26.4	26	25.7	25.2	24.8	24.3	22.9	20.7	18	*	*	*	*
ETA4 40-315 D	3	4	7	290	40	65		29	28.7	28.5	28.2	27.8	27.5	27.1	26.1	24.8	22.4	20.7	19	*	*
ETA4 40-315 C	4	5.5	9	300	40	65		31	30.9	30.8	30.7	30.4	30.1	29.7	28.8	27.5	25.5	24	22	*	*
ETA4 40-315 B	4	5.5	9	310	40	65		34.2	34.1	34	33.9	33.8	33.6	33.4	32.7	31.4	29.3	27.9	26.5	23	*
ETA4 40-315 A	4	5.5	9	319	40	65		37.4	37.3	37.2	37	36.7	36.5	36.2	35.5	34.4	33.1	32.1	31	28	24





نیم پمپ	قدرت		حریران	قطر پروانه	قطر فلنج پمپ (mm)		اندھی	10	12	15	17.5	20	22.5	25	26	28	30	33	35	37	39
	KW	HP			راش	مکش		H (m)													
ETA4 50-160 E	0.55	0.75	1	130	50	65	H (m)	5.2	5.1	4.9	4.7	4.4	*	*	*	*	*	*	*	*	*
ETA4 50-160 D	0.55	0.75	1	140	50	65		6.2	6.1	5.9	5.7	5.4	5	4.6	4.4	*	*	*	*	*	*
ETA4 50-160 C	0.75	1	1	150	50	65		7.2	7.1	6.9	6.7	6.4	6	5.6	5.4	5	4.6	*	*	*	*
ETA4 50-160 B	1.1	1.5	3	160	50	65		8.2	8.1	7.9	7.7	7.4	7	6.6	6.4	6	5.6	5	*	*	*
ETA4 50-160 A	1.5	2	4	169	50	65		9.2	9.1	8.9	8.7	8.4	8.1	7.6	7.4	7	6.6	6	5.5	5	4.5





ETA 2900 r.p.m



تیپ پمپ	قدرت		جریان	قطر پروانه	قطر فلنج پمپ (mm)		اندهی (m³/h)	10	13	15	18	20	23	25	28	30	33	35	38	40	43
	KW	HP			رانس	مکش															
ETA 40-125 G	1.5	2	3	110	40	50	H (m)	14.5	14	13.5	12.9	12.2	11.3	10.2	8.8	7	*	*	*	*	*
ETA 40-125 F	1.5	2	3	115	40	50		16.5	16	15.4	14.8	14.1	13.1	12	10.7	9	7	*	*	*	*
ETA 40-125 E	2.2	3	5	120	40	50		18	17.6	17.2	16.7	16	15.2	14.2	13	11.3	9.3	7.1	*	*	*
ETA 40-125 D	2.2	3	5	125	40	50		20.2	19.7	19.3	18.7	18	17.1	16.1	15	13.6	11.9	10	8	*	*
ETA 40-125 C	3	4	6	130	40	50		21.9	21.5	21	20.4	19.7	18.9	18	17	15.6	14	12	10	*	*
ETA 40-125 B	3	4	6	135	40	50		24	23.5	23	22.4	21.7	20.9	20	19	17.6	16.1	14.5	12.7	10.7	*
ETA 40-125 A	3	4	6	139	40	50		25.5	25	24.5	23.9	23.2	22.4	21.5	20.5	19.3	18	16.5	14.9	13	10.5



تیپ پمپ	قدرت		جریان	قطر پروانه	قطر فلنج پمپ (mm)		اندهی (m³/h)	10	13	15	18	20	23	25	28	30	33	35	38	40	42
	KW	HP			رانس	مکش															
ETA 40-160 E	2.2	3	5	130	40	65	H (m)	23	22.5	21.6	20.2	18.3	16	*	*	*	*	*	*	*	*
ETA 40-160 D	3	4	6	140	40	65		27	26.5	25.9	25	23.6	21.7	19	16	*	*	*	*	*	*
ETA 40-160 C	4	5.5	8	150	40	65		31	30.5	30	29.3	28.5	27.3	25.4	23	20.5	17.9	*	*	*	*
ETA 40-160 B	5.5	7.5	11	160	40	65		35.4	35	34.5	34.1	33.5	32.8	31.8	30.2	28	25.1	22	19	*	*
ETA 40-160 A	5.5	7.5	11	169	40	65		39.7	39.5	39	38.5	37.9	37.3	36.6	35.6	34	32	29.5	27	24	21.5





تیپ پمپ	قدرت		جریان	قطر پروانه	قطر فلنج پمپ (mm)		اندهی (m³/h)	5	10	13	15	18	20	22	23	25	28	30	33	35	39
	KW	HP			رانس	مکش															
ETA 40-200 E	4	5.5	8	170	40	65	H (m)	39	38.4	37.6	36.3	34.5	32	30	28.5	24	*	*	*	*	*
ETA 40-200 D	5.5	7.5	11	180	40	65		43.9	43	42.2	41.3	39.9	37.5	35.8	34.4	31	27	*	*	*	*
ETA 40-200 C	7.5	10	15	190	40	65		49	48.1	47.5	46.8	45.8	44.3	43	41.8	39	35.6	31.8	27.9	*	*
ETA 40-200 B	11	15	22.5	200	40	65		54.5	54	53.5	52.7	51.7	50.2	49.2	48.4	46.3	43.7	40	36	31	*
ETA 40-200 A	11	15	22.5	209	40	65		59.5	59	58.7	58.2	57.6	56.5	55.7	55	53	50.9	48.1	44.9	40.9	33





ETA 2900 r.p.m

تیپ پمپ	قدرت		حریان	قطر پروانه		قطر فلانچ پمپ (mm)		اندهی (m ³ /h)	10	15	20	23	25	30	35	38	40	43	45	50	55	56
	KW	HP		A	D (mm)	راش	مکش		H (m)													
ETA 40-250 F	11	15	22.5	210	40	65		H (m)	58	57	55.6	54.9	54.2	52.5	49	46.7	44	40.2	*	*	*	*
ETA 40-250 E	15	20	30	220	40	65			64.8	64	63	62.5	62	60	56.7	54.5	51.9	48.9	46	*	*	*
ETA 40-250 D	15	20	30	230	40	65			71	70.5	69.5	69	68.5	67	64.1	61.9	59.4	56.7	53.5	47.5	*	*
ETA 40-250 C	18.5	25	36	240	40	65			79.9	79	78	77.5	77	76	73	71	68.6	65.7	62.5	56	*	*
ETA 40-250 B	22	30	42.5	250	40	65			87	86.5	86	85.5	85	83.9	81.8	80.1	78	75.6	73.1	67.6	60	58.3
ETA 40-250 A	22	30	42.5	259	40	65			94	93.5	93	92.5	92	90.9	89	87.9	86.5	85	83	78.6	71.9	70.3



تیپ پمپ	قدرت		حریان	قطر پروانه		قطر فلانچ پمپ (mm)		اندهی (m ³ /h)	10	20	25	30	35	40	45	47.5	50	55	60	65	70	76
	KW	HP		A	D (mm)	راش	مکش		H (m)													
ETA 50-160 E	4	5.5	8	130	50	65		H (m)	21.7	21.2	20.9	20.3	19.5	18.4	17.2	*	*	*	*	*	*	*
ETA 50-160 D	5.5	7.5	11	140	50	65			24.9	24.7	24.5	24	23.4	22.5	21.4	20.7	20.1	18.7	*	*	*	*
ETA 50-160 C	7.5	10	15	150	50	65			28.5	28.4	28.2	28	27.7	27.2	26.4	25.9	25.3	23.9	21.9	*	*	*
ETA 50-160 B	7.5	10	15	160	50	65			32.5	32.3	32.2	32	31.7	31.3	30.7	30.3	29.9	29	27.7	26.2	24.3	*
ETA 50-160 A	11	15	22.5	169	50	65			36.6	36.4	36.2	36	35.7	35.3	34.8	34.5	34.2	33.5	32.6	31.5	30	28



تیپ پمپ	قدرت		حریان	قطر پروانه		قطر فلانچ پمپ (mm)		اندهی (m ³ /h)	20	30	40	45	47.5	50	60	65	70	72.5	75	80	85	91
	KW	HP		A	D (mm)	راش	مکش		H (m)													
ETA 50-200 E	7.5	10	15	170	50	65		H (m)	37.3	36.5	34.5	33	32.1	30.9	25	*	*	*	*	*	*	*
ETA 50-200 D	11	15	22.5	180	50	65			42.7	41.5	40	38.4	37.6	36.7	32.5	30	*	*	*	*	*	*
ETA 50-200 C	11	15	22.5	190	50	65			47.5	46.6	45.5	44.3	43.6	42.8	39.5	37.5	35.1	33.6	31.8	*	*	*
ETA 50-200 B	15	20	30	200	50	65			52.6	52	51.1	50.2	49.6	49	46.3	44.7	42.7	41.4	40	37.1	*	*
ETA 50-200 A	18.5	25	36	209	50	65			57.7	57	56	55.4	55.1	54.7	52.5	51.1	49.5	48.5	47.4	45	42.5	38.5

