





ETA 4 1450 r.p.m



تیپ پمپ	قدرت		حریان	قطر پروانه	قطر فلنج پمپ (mm)		اندهی	15	16	17	18	19	20	21	22	24	25	26	27	28	30
	KW	HP			راش	مکش		H (m)													
ETA4 40-250 F	1.1	1.5	3	210	40	65	H (m)	13	12.8	12.5	12.1	11.6	10.9	10.1	9.2	*	*	*	*	*	*
ETA4 40-250 E	1.5	2	4	220	40	65		14.7	14.5	14.2	13.9	13.6	13.1	12.6	12	10.5	9.5	*	*	*	*
ETA4 40-250 D	2.2	3	5	230	40	65		16.4	16.2	16	15.7	15.3	14.9	14.5	14	12.8	12.1	11.4	10.5	*	*
ETA4 40-250 C	3	4	7	240	40	65		18.9	18.7	18.4	18	17.6	17.2	16.7	16.2	15.1	14.5	13.8	13	12	*
ETA4 40-250 B	3	4	7	250	40	65		20.8	20.7	20.5	20.2	19.8	19.4	19	18.6	17.7	17.2	16.6	15.8	15	13.2
ETA4 40-250 A	4	5.5	9	259	40	65		22.8	22.7	22.5	22.2	21.9	21.6	21.3	21	20.1	19.6	19.1	18.4	17.7	16



تیپ پمپ	قدرت		حریان	قطر پروانه	قطر فلنج پمپ (mm)		اندهی	6	7	8	9	10	11	11	12	13	14	15	15	16	17
	KW	HP			راش	مکش		H (m)													
ETA4 40-315 F	2.2	3	5	270	40	65	H (m)	24.2	23.9	23.7	23.3	22.6	22.1	21.3	19.1	*	*	*	*	*	*
ETA4 40-315 E	2.2	3	5	280	40	65		26.7	26.4	26	25.7	25.2	24.8	24.3	22.9	20.7	18	*	*	*	*
ETA4 40-315 D	3	4	7	290	40	65		29	28.7	28.5	28.2	27.8	27.5	27.1	26.1	24.8	22.4	20.7	19	*	*
ETA4 40-315 C	4	5.5	9	300	40	65		31	30.9	30.8	30.7	30.4	30.1	29.7	28.8	27.5	25.5	24	22	*	*
ETA4 40-315 B	4	5.5	9	310	40	65		34.2	34.1	34	33.9	33.8	33.6	33.4	32.7	31.4	29.3	27.9	26.5	23	*
ETA4 40-315 A	4	5.5	9	319	40	65		37.4	37.3	37.2	37	36.7	36.5	36.2	35.5	34.4	33.1	32.1	31	28	24





تیپ پمپ	قدرت		حریان	قطر پروانه	قطر فلنج پمپ (mm)		اندهی	10	12	15	17.5	20	22.5	25	26	28	30	33	35	37	39
	KW	HP			راش	مکش		H (m)													
ETA4 50-160 E	0.55	0.75	1	130	50	65	H (m)	5.2	5.1	4.9	4.7	4.4	*	*	*	*	*	*	*	*	*
ETA4 50-160 D	0.55	0.75	1	140	50	65		6.2	6.1	5.9	5.7	5.4	5	4.6	4.4	*	*	*	*	*	*
ETA4 50-160 C	0.75	1	1	150	50	65		7.2	7.1	6.9	6.7	6.4	6	5.6	5.4	5	4.6	*	*	*	*
ETA4 50-160 B	1.1	1.5	3	160	50	65		8.2	8.1	7.9	7.7	7.4	7	6.6	6.4	6	5.6	5	*	*	*
ETA4 50-160 A	1.5	2	4	169	50	65		9.2	9.1	8.9	8.7	8.4	8.1	7.6	7.4	7	6.6	6	5.5	5	4.5





ETA 4 1450 r.p.m



نیم پمپ	قدرت		جریان	قطر پروانه	قطر فلایج پمپ (mm)		آبدهی (m³/h)	15	17.5	20	22.5	25	27.5	30	31	32.5	34	35	37.5	40	41
	KW	HP			رانش	مکش															
ETA4 50-200 E	1.1	1.5	3	170	50	65	H (m)	9.2	8.9	8.5	8.1	7.6	*	*	*	*	*	*	*	*	*
ETA4 50-200 D	1.5	2	4	180	50	65		10.4	10.2	9.9	9.6	9.2	8.7	8.2	8	*	*	*	*	*	*
ETA4 50-200 C	1.5	2	4	190	50	65		11.8	11.6	11.3	11	10.7	10.4	10	9.8	9.5	9.1	8.8	*	*	*
ETA4 50-200 B	2.2	3	5	200	50	65		13.2	13	12.8	12.5	12.2	11.9	11.6	11.4	11.1	10.8	10.6	9.9	9.2	*
ETA4 50-200 A	2.2	3	5	209	50	65		14.5	14.3	14.1	13.9	13.7	13.4	13.1	13	12.8	12.5	12.4	11.9	11.2	10.8



نیم پمپ	قدرت		جریان	قطر پروانه	قطر فلایج پمپ (mm)		آبدهی (m³/h)	15	18	20	23	25	28	30	31	33	34	35	38	40	45
	KW	HP			رانش	مکش															
ETA4 50-250 E	2.2	3	5	220	50	65	H (m)	15	14.6	14.2	13.6	13	12.1	11.2	10.6	10	9.5	8.7	*	*	*
ETA4 50-250 D	2.2	3	5	230	50	65		16.7	16.2	15.6	15.1	14.5	13.7	12.8	12.3	11.7	11.3	10.5	9	*	*
ETA4 50-250 C	3	4	7	240	50	65		18.4	18	17.5	17	16.5	15.6	14.7	14.2	13.6	13.2	12.5	11.1	9.6	*
ETA4 50-250 B	3	4	7	250	50	65		20.2	19.8	19.5	19	18.5	17.8	17	16.5	16	15.5	14.8	13.5	12	*
ETA4 50-250 A	4	5.5	9	259	50	65		22	21.7	21.4	20.9	20.4	19.8	19.2	18.8	18.3	17.9	17.3	16.1	14.8	12





نیم پمپ	قدرت		جریان	قطر پروانه	قطر فلایج پمپ (mm)		آبدهی (m³/h)	15	18	20	23	25	28	30	31	33	34	35	38	40	45
	KW	HP			رانش	مکش															
ETA4 50-315 F	4	5.5	9	270	50	65	H (m)	23.8	23.4	23	22.5	21.9	21.1	20.2	19.6	19	18.4	17.5	*	*	*
ETA4 50-315 E	4	5.5	9	280	50	65		26	25.5	25	24.5	24	23.3	22.4	21.9	21.3	20.8	19.9	18	*	*
ETA4 50-315 D	5.5	7.5	12	290	50	65		28	27.5	27	26.6	26.1	25.5	24.8	24.3	23.8	23.3	22.5	21	19.3	*
ETA4 50-315 C	7.5	10	16	300	50	65		30.5	30	29.5	29	28.4	27.7	27	26.6	26.1	25.7	25	23.9	22.5	*
ETA4 50-315 B	7.5	10	16	310	50	65		33	32.7	32.4	31.9	31.3	30.7	30	29.5	29	28.5	27.9	26.5	25	*
ETA4 50-315 A	7.5	10	16	319	50	65		35.5	35.2	34.9	34.5	34	33.4	32.7	32.3	31.8	31.4	30.8	29.4	27.9	23.5





ETA 2900 r.p.m



تیپ پمپ	قدرت		حریان	قطر پروانه		قطر فلانچ پمپ (mm)		اندهی (m ³ /h)	10	15	20	23	25	30	35	38	40	43	45	50	55	56
	KW	HP		A	D (mm)	راش	مکش		H (m)													
ETA 40-250 F	11	15	22.5	210	40	65		H (m)	58	57	55.6	54.9	54.2	52.5	49	46.7	44	40.2	*	*	*	*
ETA 40-250 E	15	20	30	220	40	65			64.8	64	63	62.5	62	60	56.7	54.5	51.9	48.9	46	*	*	*
ETA 40-250 D	15	20	30	230	40	65			71	70.5	69.5	69	68.5	67	64.1	61.9	59.4	56.7	53.5	47.5	*	*
ETA 40-250 C	18.5	25	36	240	40	65			79.9	79	78	77.5	77	76	73	71	68.6	65.7	62.5	56	*	*
ETA 40-250 B	22	30	42.5	250	40	65			87	86.5	86	85.5	85	83.9	81.8	80.1	78	75.6	73.1	67.6	60	58.3
ETA 40-250 A	22	30	42.5	259	40	65			94	93.5	93	92.5	92	90.9	89	87.9	86.5	85	83	78.6	71.9	70.3



تیپ پمپ	قدرت		حریان	قطر پروانه		قطر فلانچ پمپ (mm)		اندهی (m ³ /h)	10	20	25	30	35	40	45	47.5	50	55	60	65	70	76
	KW	HP		A	D (mm)	راش	مکش		H (m)													
ETA 50-160 E	4	5.5	8	130	50	65		H (m)	21.7	21.2	20.9	20.3	19.5	18.4	17.2	*	*	*	*	*	*	*
ETA 50-160 D	5.5	7.5	11	140	50	65			24.9	24.7	24.5	24	23.4	22.5	21.4	20.7	20.1	18.7	*	*	*	*
ETA 50-160 C	7.5	10	15	150	50	65			28.5	28.4	28.2	28	27.7	27.2	26.4	25.9	25.3	23.9	21.9	*	*	*
ETA 50-160 B	7.5	10	15	160	50	65			32.5	32.3	32.2	32	31.7	31.3	30.7	30.3	29.9	29	27.7	26.2	24.3	*
ETA 50-160 A	11	15	22.5	169	50	65			36.6	36.4	36.2	36	35.7	35.3	34.8	34.5	34.2	33.5	32.6	31.5	30	28




تیپ پمپ	قدرت		حریان	قطر پروانه		قطر فلانچ پمپ (mm)		اندهی (m ³ /h)	20	30	40	45	47.5	50	60	65	70	72.5	75	80	85	91
	KW	HP		A	D (mm)	راش	مکش		H (m)													
ETA 50-200 E	7.5	10	15	170	50	65		H (m)	37.3	36.5	34.5	33	32.1	30.9	25	*	*	*	*	*	*	*
ETA 50-200 D	11	15	22.5	180	50	65			42.7	41.5	40	38.4	37.6	36.7	32.5	30	*	*	*	*	*	*
ETA 50-200 C	11	15	22.5	190	50	65			47.5	46.6	45.5	44.3	43.6	42.8	39.5	37.5	35.1	33.6	31.8	*	*	*
ETA 50-200 B	15	20	30	200	50	65			52.6	52	51.1	50.2	49.6	49	46.3	44.7	42.7	41.4	40	37.1	*	*
ETA 50-200 A	18.5	25	36	209	50	65			57.7	57	56	55.4	55.1	54.7	52.5	51.1	49.5	48.5	47.4	45	42.5	38.5




ETA 2900 r.p.m

تیپ پمپ	قدرت		جریان	قطر پروانه	قطر فلایج پمپ (mm)		آبدهی (m³/h)	20	25	30	40	45	48	50	60	65	70	73	75	80	81
	KW	HP			رانس	مکش		H (m)													
ETA 50-250 E	15	20	30	220	50	65	H (m)	64.4	63.7	62.3	58.8	56.5	55.4	54	47.7	43.8	*	*	*	*	*
ETA 50-250 D	18.5	25	36	230	50	65		70.5	70	68.9	66	64	62.7	61.5	55	50.5	46	*	*	*	*
ETA 50-250 C	18.5	25	36	240	50	65		76.8	76.1	75.1	72.8	70.9	69.9	68.7	62.4	58.7	54.3	52	49.8	*	*
ETA 50-250 B	22	30	42.5	250	50	65		84	83.7	83	80.9	79	77.7	76.3	70.1	66.7	62.4	60.1	57.9	53	52
ETA 50-250 A	30	41	57	259	50	65		91.2	90.9	90.3	88.2	86.5	85.5	84.3	78	74	70.1	68	66	61	60



تیپ پمپ	قدرت		جریان	قطر پروانه	قطر فلایج پمپ (mm)		آبدهی (m³/h)	40	60	70	75	80	90	100	110	115	120	130	140	160	165
	KW	HP			رانس	مکش		H (m)													
ETA 65-125 D	4	5.5	8	110	65	80	H (m)	13.4	12.2	11.3	10.7	10.1	8.6	7.1	5.3	4.5	*	*	*	*	*
ETA 65-125 C	5.5	7.5	11	120	65	80		17	15.7	14.8	14.3	13.6	12.2	10.6	8.9	8	7	5	*	*	*
ETA 65-125 B	7.5	10	15	130	65	80		20.5	19.5	18.9	18.5	18	17	15.5	13.8	12.9	12	9.8	7.5	*	*
ETA 65-125 A	11	15	22.5	139	65	80		23.8	23.2	22.6	22.3	22	21.3	20.3	19.1	18.4	17.7	16.2	14.2	9.6	8.1



تیپ پمپ	قدرت		جریان	قطر پروانه	قطر فلایج پمپ (mm)		آبدهی (m³/h)	40	50	60	70	80	90	100	110	115	120	130	140	150	160
	KW	HP			رانس	مکش		H (m)													
ETA 65-160 E	5.5	7.5	11	130	65	80	H (m)	20.5	19.8	19	17.6	15.9	14.1	12	9.5	*	*	*	*	*	*
ETA 65-160 D	7.5	10	15	140	65	80		24.8	24.2	23.5	22.3	21	19.5	17.5	15.2	14	12.9	*	*	*	*
ETA 65-160 C	11	15	22.5	150	65	80		29	28.2	27.5	26.4	25	23.4	21.5	19.5	18.3	17.2	14.8	*	*	*
ETA 65-160 B	15	20	30	160	65	80		34.2	33.6	33	32.1	31.1	29.9	28.1	26.1	25.1	23.8	21	18	*	*
ETA 65-160 A	15	20	30	169	65	80		38.9	38.5	37.9	37.1	36.1	34.9	33.5	31.9	31	30	27.5	25	22	19

